

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	78	(kvl or (key or variable) adj loader) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 13:11
L2	0	key adj (delivery adj device) not L1 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 13:12
L3	318	(re-keying or rekeying) not L1 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 13:17
L4	14	l3 and target same key	USPAT	OR	OFF	2005/05/18 13:13
L5	304	l3 not l4	USPAT	OR	OFF	2005/05/18 13:18
L8	7756	"713"/\$.ccls or "380"/\$.ccls.	USPAT	OR	OFF	2005/05/18 13:19
L9	48	l5 and l8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 13:51
L10	2	"5093860".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 13:52
L11	22	("5093860").URPN.	USPAT	OR	OFF	2005/05/18 14:58
L12	90	380/273.ccls.	USPAT	OR	OFF	2005/05/18 15:01
L13	82	l12 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 15:03
L14	79	l13 and key	USPAT	OR	OFF	2005/05/18 16:49
L15	4	("5619572").URPN.	USPAT	OR	OFF	2005/05/18 15:11
L16	35	key adj tag and encrypt\$3 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 16:50
L17	15	key adj tag with encrypt\$3 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 16:55
L18	1	"5481610".pn.	USPAT	OR	OFF	2005/05/18 17:08
L20	546093	display\$4 message\$2 same success\$4 same key with load\$4 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:10
L21	3	display\$4 near2 message\$2 same success\$4 same key\$2 with load\$4 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:12
L22	22	display\$4 near2 message\$2 same success\$4 same key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:13
L23	7	display\$4 near2 message\$2 same success\$4 with key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:17

L24	187	display\$4 near2 message\$2 with key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:18
L25	187	(display\$4 near2 message\$2) with key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:21
L26	8	l25 and ("380"/\$.ccls. or "713"/\$.ccls.)	USPAT	OR	OFF	2005/05/18 17:18
L27	17	(display\$4 near3 message\$2) with (error\$2 or success\$4) with key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:24
L28	1	"5481610".pn. and (unsucces\$5 or error\$4)	USPAT	OR	OFF	2005/05/18 17:25
L29	1	"5481610".pn. and (message or display\$3)	USPAT	OR	OFF	2005/05/18 17:25
S1	792	380/277.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 18:15
S2	354	S1 and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 10:00
S3	2	"20020018571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 18:15
S4	1	S3 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 18:31
S5	1	S3 and rsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 18:31
S6	0	("2002/0018571").URPN.	USPAT	OR	OFF	2005/05/18 09:55
S7	1	"4613901".pn.	USPAT	OR	OFF	2005/05/18 09:56
S8	477	(kvl or key adj variable or key adj loader) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 09:57

S9	78	(kvl or (key or variable) adj loader) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 10:40
S10	3	"5164986".pn. "5586185".pn. "5471532".pn.	USPAT	OR	OFF	2005/05/18 11:05